


**NEW**




**2023**


**PCO**



**PCO-S**



**PCO-M**




**QSO**




THERMAL

**INCENDIS PRO**



SPOTTING SCOPE

**OMNIS**



FULL LINE UP HERE

**ACCUFIRETECH.COM**





**ADVANCING ACCURACY**

SPOTTING SCOPE

**OMNIS**

**HD Day/Night Infrared  
Digital Spotting Scope**



- 30x - 120x Magnification
- HD Video
- Recording
- IR Capable
- Wifi Streaming
- 2.95 inch OLED

**MSRP: \$1,319.95**

**SPECS**

<b>RETICLES</b>	Multiple Patterns & Colors	<b>MICROPHONE</b>	Yes
<b>FOCUS MODE</b>	Manual Focusing	<b>PORTS</b>	USB Type C, Micro SD
<b>VIDEO RESOLUTION</b>	1440 x 1080	<b>DIMENSIONS</b>	282mm x 83mm x 92mm
<b>MAGNIFICATION</b>	30x - 120x	<b>IP RATING</b>	IPX4
<b>SMOOTH SCALING</b>	Yes	<b>MOUNTING</b>	Picatinny
<b>WIFI</b>	IOS & Android	<b>MICRO SD CARD</b>	32 Gb
<b>RANGING</b>	Yes	<b>BATTERY TYPE</b>	4x CR123A / External USB-C
<b>DISPLAY</b>	2.95 inch OLED	<b>WEIGHT</b>	34.7oz / 2.16lb
<b>SCENE MODE</b>	Day & Night	<b>BATTERY LIFE</b>	4 Hours
		<b>WARRANTY</b>	2 Years

**ACCUFIRE**



**ADVANCING ACCURACY**

THERMAL  
**INCENDIS**

**Digital Thermal Imaging Monocular**



- 384 Core Resolution
- 17µm Micron
- 4 Color Palette
- 1 Reticle
- Clip-On

**MSRP: \$3,149.95**

**SPECS**

<b>RESOLUTION</b>	384 x 288	<b>BATTERY LIFE</b>	3 Hours+/4x CR123A
<b>PIXEL SIZE</b>	17	<b>RECHARGEABLE</b>	Yes
<b>FRAME SIZE</b>	50(PAL)/60(NTSC)	<b>HEAT TRACKER</b>	Yes
<b>OBJECTIVE LENS</b>	35mm/F1.2/Germanium	<b>IMAGE CONTRAST</b>	Adjustable
<b>FOV (H/V), DEGREE</b>	10.66 x 8.0	<b>IMAGE BRIGHTNESS</b>	Adjustable
<b>EXIT PUPIL DIAMETER</b>	20mm	<b>OPERATING TEMPERATURE</b>	-22°F - +122°F
<b>DISPLAY RESOLUTION</b>	1024 x 768 OLED	<b>RECOIL</b>	.308/7.62
<b>MAGNIFICATION</b>	1x, 2x, 4x	<b>PROTECTION CLASS</b>	IP54
<b>VIDEO OUTPUT</b>	PAL/NTSC	<b>CERTIFICATION</b>	FCC
<b>BATTERY TYPE</b>	IRC16340/CR123A /External USB-C	<b>WEIGHT</b>	690g
<b>COLOR PALETTE</b>	White Heat/Green Heat /Black Heat/Red Heat	<b>DIMENSIONS</b>	180mm x 77mm x 80mm
		<b>COMPENSATION METHOD</b>	Auto Shutter/Manual Shutter /Manual Scene

**ACCUFIRETECH.COM**



**ADVANCING ACCURACY**

THERMAL  
**INCENDIS PRO**

Digital Thermal Imaging Monocular



- 640 Core Resolution
- 12µm Micron
- 9 Color Palette
- 4 Reticles w/3Colors
- Internal Recording
- Clip-On

**SPECS**

<b>RESOLUTION</b>	640 x 512 12µm	<b>PALETTE COLORS</b>	9
<b>WORKING BAND</b>	8-14 14µm	<b>SCENE MODE</b>	Enhanced, Natural, Highlighted
<b>FIELD ANGLE</b>	12.5° x 9.4°	<b>HOTSPOT TRACKING</b>	Hotspot Tracking Indication
<b>DISPLAY RESOLUTION</b>	1600 x 1200 OLED	<b>COMPENSATION MODE</b>	Automatic Shutter/Manual Scene
<b>EYE RELIEF</b>	20mm	<b>POWER SUPPLY</b>	USB-C
<b>MAGNIFICATION</b>	1x - 8x	<b>BATTERY LIFE</b>	4 Hours
<b>SMOOTH SCALING</b>	Yes	<b>MOUNTING</b>	Picatinny
<b>TRAJECTORY SOLUTION</b>	Yes	<b>WORKING TEMP.</b>	-4°F x 131°F
<b>Wifi</b>	iOS & Android	<b>IP LEVEL</b>	IP67
<b>3D GYROSCOPE</b>	Yes	<b>DIMENSIONS</b>	198.2mm x 64mm x 78.8mm
<b>3D ACCELEROMETER</b>	Yes	<b>Weight</b>	764g / 27oz
<b>MICROPHONE</b>	Yes	<b>WARRANTY</b>	3 Years
<b>BUILT IN STORAGE</b>	32GB		

**ACCUFIRE**



**ADVANCING ACCURACY**

**PCO**

**Pistol Combat Optic**



- 3MOA Dot
- Battery Life: 20,000 Hours
- Top Load Battery
- Shake to Wake

## SPECS

<b>DIMENSIONS</b>	45.3mm x 32.9mm x 37.2mm	<b>WEIGHT</b>	58.55g
<b>BATTERY TYPE</b>	CR1632	<b>GLASS WINDOW SIZE</b>	28 x 17.5
<b>BATTERY LIFE</b>	20,000 Hours	<b>BATTERY INSTALLATION</b>	Top Load
<b>RED DOT SIZE</b>	3MOA Dot	<b>OLED WAVELENGTH</b>	650nm
<b>RETICLE COLOR</b>	Red	<b>MULTILAYER COATING</b>	Yes
<b>AUTO-ON</b>	Yes	<b>MAXIMUM MAGNIFICATION</b>	1x

**ACCUFIRETECH.COM**

**ACCUFIRE**



**ADVANCING ACCURACY**

# PCO-M

Pistol Combat Optic - Micro



- 3MOA Dot
- Battery Life: 20,000 Hours
- Side Load Battery
- Shake to Wake

## SPECS

<b>DIMENSIONS</b>	40.8mm x 30.5mm x 35.2mm	<b>WEIGHT</b>	58.85g
<b>BATTERY TYPE</b>	CR1632	<b>GLASS WINDOW SIZE</b>	20 x 16
<b>BATTERY LIFE</b>	20,000 Hours	<b>BATTERY INSTALLATION</b>	Side Load
<b>RED DOT SIZE</b>	3MOA Dot	<b>OLED WAVELENGTH</b>	650nm
<b>RETICLE COLOR</b>	Red	<b>MULTILAYER COATING</b>	Yes
<b>AUTO-ON</b>	Yes	<b>MAXIMUM MAGNIFICATION</b>	1x

**ACCUFIRETECH.COM**





**ADVANCING ACCURACY**

# PCO-S

Pistol Combat Optic - Solar



- 3MOA Dot
- Battery Life: 20,000 Hours
- Side Load Battery
- Shake to Wake

## SPECS

<b>DIMENSIONS</b>	45.1mm x 33.4mm x 37mm	<b>WEIGHT</b>	76.2g
<b>BATTERY TYPE</b>	CR1632	<b>GLASS WINDOW SIZE</b>	28 x 17.5
<b>BATTERY LIFE</b>	50,000 Hours	<b>BATTERY INSTALLATION</b>	Top Load
<b>RED DOT SIZE</b>	3MOA Dot	<b>OLED WAVELENGTH</b>	650nm
<b>RETICLE COLOR</b>	Red	<b>MULTILAYER COATING</b>	Yes
<b>AUTO-ON</b>	Yes	<b>MAXIMUM MAGNIFICATION</b>	1x



## ADVANCING ACCURACY

### QSO

Quick Standard Optic



- 3MOA Dot
- Solar + Battery
- Battery Life: 50,000 Hours
- Side Load Battery
- 1x Magnification

### SPECS

<b>DIMENSIONS</b>	50.5mm x 40.3mm x 62.8mm	<b>WEIGHT</b>	107g
<b>BATTERY TYPE</b>	CR2032	<b>GLASS WINDOW SIZE</b>	20 x 20
<b>BATTERY LIFE</b>	50,000 Hours	<b>BATTERY INSTALLATION</b>	Side Load
<b>RED DOT SIZE</b>	3MOA Dot	<b>OLED WAVELENGTH</b>	650nm
<b>RETICLE COLOR</b>	Red	<b>MULTILAYER COATING</b>	Yes
<b>AUTO-ON</b>	Yes	<b>MAXIMUM MAGNIFICATION</b>	1x




ACCUFIRE



ADVANCING ACCURACY

PROSPECTIS  
**ATRO-8**

1-8x24 Traditional Scope



CQB-BDC  
W/FASTT-3



- 1-8x24
- 30mm one-piece tube
- Fully Illuminated Reticle
- First Focal Plane
- Locking Turrets

MSRP: \$989.95

**SPECS**

TUBE SIZE	30mm	LENGTH	262mm
EYE RELIEF	3.2 in.	WEIGHT	550g/1.2 lbs
ADJUSTMENT GRADUATION	0.1 MRAD	FOCAL PLANE	First Focal
TRAVEL PER ROTATION	10 MRAD	LOCKING TURRET	Yes
MAX ELEVATION ADJUST.	35 MRAD	IP RATING	IP67
MAX WINDAGE ADJUST.	35 MRAD	COATING	Multi
PARALLAX SETTING	Fixed	ILLUMINATION	Yes
RECOIL RATING	.50 CAL	CAT TAIL	Yes
FIELD OF VIEW AT LOWEST MAGNIFICATION	105 ft/100 yds	FIELD OF VIEW AT HIGHEST MAGNIFICATION	14.3 ft/100 yds

ACCUFIRETECH.COM

**ACCUFIRE**




**ADVANCING ACCURACY**

PROSPECTIS

# ATRO-20

2.5-20x50 Traditional Scope



MIL-COMP



- 2.5-20x50
- 34mm one-piece tube
- 50 to Infinity Parallax
- First Focal Plane
- Locking Turrets
- ZRT Zero Stop

**MSRP: \$1,259.95**

## SPECS

TUBE SIZE	34mm	LENGTH	352mm
EYE RELIEF	3.22-3.5 in.	WEIGHT	820g/1.8 lbs
ADJUSTMENT GRADUATION	0.1 MRAD	FOCAL PLANE	First Focal
TRAVEL PER ROTATION	10 MRAD	LOCKING TURRET	Yes
MAX ELEVATION ADJUST.	35 MRAD	IP Rating	IP67
MAX WINDAGE ADJUST.	35 MRAD	COATING	Multi
PARALLAX SETTING	50 to Infinity	ILLUMINATION	Yes
RECOIL RATING	.50 CAL	CAT TAIL	Yes
FIELD OF VIEW AT LOWEST MAGNIFICATION	44 ft/100 yds	FIELD OF VIEW AT HIGHEST MAGNIFICATION	6.4 ft/100 yds

**ACCUFIRETECH.COM**


ACCUFIRE



ADVANCING ACCURACY

PROSPECTIS  
**EVRO-6**

1-6x24 Traditional Scope



CQB-BDC  
W/FASTT-3



- 1-6x24
- Ranging Subtensions
- Fully Illuminated Reticle
- Second Focal
- Locking Turrets

MSRP: \$679.95

**SPECS**

TUBE SIZE	30mm	LENGTH	262mm
EYE RELIEF	3.3 in.	WEIGHT	498g/1.1 lbs
ADJUSTMENT GRADUATION	0.1 MRAD	FOCAL PLANE	Second Focal
TRAVEL PER ROTATION	10 MRAD	LOCKING TURRET	Yes
MAX ELEVATION ADJUST.	60 MRAD	IP RATING	IP67
MAX WINDAGE ADJUST.	60 MRAD	COATING	Multi
PARALLAX SETTING	Fixed	ILLUMINATION	Yes
RECOIL RATING	.50 CAL	CAT TAIL	Yes
FIELD OF VIEW AT LOWEST MAGNIFICATION	110 ft/100 yds	FIELD OF VIEW AT HIGHEST MAGNIFICATION	19 ft/100 yds

ACCUFIRETECH.COM


ACCUFIRE



ADVANCING ACCURACY

PROSPECTIS  
**EVRO-12**

3-12x44 Traditional Scope



MIL-H



- 3-12x44
- 30mm one-piece tube
- 25 to Infinity Parallax
- First Focal Plane
- Locking Turrets

MSRP: \$499.95

**SPECS**

TUBE SIZE	30mm	LENGTH	323mm
EYE RELIEF	3.2 in.	WEIGHT	620g/1.4 lbs
ADJUSTMENT GRADUATION	0.1 MRAD	FOCAL PLANE	First Focal
TRAVEL PER ROTATION	10 MRAD	LOCKING TURRET	Yes
MAX ELEVATION ADJUST.	25 MRAD	IP RATING	IP67
MAX WINDAGE ADJUST.	25 MRAD	COATING	Multi
PARALLAX SETTING	25 to Infinity	ILLUMINATION	No
RECOIL RATING	.50 CAL	CAT TAIL	Yes
FIELD OF VIEW AT LOWEST MAGNIFICATION	41.9 ft/100 yds	FIELD OF VIEW AT HIGHEST MAGNIFICATION	10.5 ft/100 yds

FULL LINE UP AT

**ACCUFIRETECH.COM**



**ADVANCING ACCURACY**

Noctis  
**TR1**

**HD Day/Night Infrared  
Digital Rifle Scope**



- 3.8x - 23x Magnification
- 1080 HD Video
- Battery Life: 8+ Hours
- IR Capable
- Built-In Microphone
- High Recoil

**MSRP: \$1,049.95**

**SPECS**

<b>MAGNIFICATION</b>	3.8-23x	<b>RETICLES</b>	Multiple Patterns & Colors
<b>FIELD OF VIEW</b>	31.2 ft at 100mm	<b>MICROPHONE</b>	Yes
	1024 x 768 OLED	<b>MICRO SD CARD</b>	32 Gb
	3 in.	<b>MICRO USB, TYPE C</b>	Yes
<b>VIDEO RESOLUTION</b>	1920 x 1080	<b>IP RATING</b>	IP4 Weatherproof
<b>BALLISTIC CALCULATOR</b>	Yes	<b>DIMENSIONS</b>	360mm x 59mm x 68mm
<b>WIFI (STREAMING, RECORDING)</b>	IOS & Android	<b>WEIGHT</b>	1.03 kg/36.4 oz
<b>3D GYROSCOPE</b>	Yes	<b>BATTERY TYPE</b>	Internal Lithium
<b>3D ACCELEROMETER</b>	Yes	<b>WARRANTY</b>	3 years
<b>SMOOTH ZOOM</b>	Yes	<b>COATING</b>	Multi-band Coating
<b>SMART RANGE FINDER</b>	Yes	<b>TEMPERATURE</b>	-4°F to 113°F
<b>NIGHT VISION MODE</b>	Yes	<b>BATTERY LIFE</b>	8+ Hours

**ACCUFIRE**



**ADVANCING ACCURACY**

NOCTIS  
**V1**

**HD Day/Night Infrared  
Digital Rifle Scope**



- 16x Magnification
- 1080 HD Video
- Battery Life: 5+ Hours
- IR Capable
- High Recoil

## HIGHLIGHTS

- Day& Night
- 1-16x Magnification
- 1080P HD Video and Audio Recording
- Savable Gun Profiles
- High Durability and High Recoil
- Stream to Phone

## SPECS

**MSRP: \$749.95**

<b>MICROPHONE</b>	Yes
<b>PORTS</b>	USB type C, Micro SD
<b>DIMENSIONS</b>	196mm x 85mm x 87mm
<b>IP RATING</b>	IP54
<b>MOUNTING</b>	Picatinny
<b>MICRO SD CARD</b>	32 GB
<b>BATTERY TYPE</b>	4x CR123/External USB-C
<b>WEIGHT</b>	31 oz/1.6 lb
<b>BATTERY LIFE</b>	5+ Hours
<b>WARRANTY</b>	3 Years

**ACCUFIRETECH.COM**